

MALACAÑANG
PRESIDENTIAL BROADCAST STAFF - RTVM

BIDDING DOCUMENTS

FOR THE

“PROCUREMENT OF DSLR CAMERAS”

PUBLIC BIDDING NO. – PBS-RTVM21-003

A handwritten signature in black ink, appearing to be 'Dany', located in the bottom right corner of the page.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	3
Section I. Invitation to Bid.....	6
Section II. Instructions to Bidders.....	9
1. Scope of Bid	10
2. Funding Information.....	10
3. Bidding Requirements	10
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	10
5. Eligible Bidders.....	10
6. Origin of Goods	11
7. Subcontracts	11
8. Pre-Bid Conference	11
9. Clarification and Amendment of Bidding Documents	11
10. Documents comprising the Bid: Eligibility and Technical Components	12
11. Documents comprising the Bid: Financial Component	12
12. Bid Prices	12
13. Bid and Payment Currencies	13
14. Bid Security	13
15. Sealing and Marking of Bids	14
16. Deadline for Submission of Bids	14
17. Opening and Preliminary Examination of Bids	14
18. Domestic Preference	14
19. Detailed Evaluation and Comparison of Bids	14
20. Post-Qualification	15
21. Signing of the Contract	15
Section III. Bid Data Sheet	16
Section IV. General Conditions of Contract	18
1. Scope of Contract	19
2. Advance Payment and Terms of Payment	19
3. Performance Security	19
4. Inspection and Tests	19
5. Warranty	20
6. Liability of the Supplier	20
Section V. Special Conditions of Contract	21
Section VI. Schedule of Requirements	25
Section VII. Technical Specifications	28
Section VIII. Checklist of Technical and Financial Documents	42



Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”



DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NECC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.



Section I. Invitation to Bid

A handwritten signature in black ink, appearing to be "D. Wang", located in the bottom right corner of the page.

**PRESIDENTIAL BROADCAST STAFF-RTVM
MALACANANG, MANILA**

**INVITATION TO BID FOR *PROCUREMENT OF DSLR
CAMERAS***

1. The *Presidential Broadcast Staff-RTVM*, through the General Appropriations Act of 2021 intends to apply the sum of *Two Million Two Hundred Eighty-Nine Thousand Four Hundred Eighty Pesos* being the ABC to payments under the contract for Procurement of DSLR Cameras with identification number PBS-RTVM2021-003. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The Presidential Broadcast Staff-RTVM now invites bids for the above Procurement Project. Delivery of the Goods is required 60 Days upon receipt of Notice to Proceed. Bidders should have completed, within *five years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
4. Prospective Bidders may obtain further information from Procurement Office of the Presidential Broadcast Staff-RTVM and inspect the Bidding Documents at the address given below during Monday to Friday, 8:00 am to 5:00 pm.
5. A complete set of Bidding Documents may be acquired by interested Bidders on July 22, 2021 to Aug. 17, 2021 from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Two Thousand Five Hundred Pesos (Php 2,500.00)*. The Procuring Entity shall allow the bidder to present its proof of payment for the fees *either in person, by facsimile, or through electronic means*.
6. The *Presidential Broadcast Staff-RTVM* will hold a Pre-Bid Conference¹ on Aug. 2, 2021, 10:00 am at RTVM Conference Room, RTVM Building, Malacanang, Manila and/or through video conferencing or webcasting *via google or zoom meet* which shall be open to prospective bidders.

¹ May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below. Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Bid opening shall be on *Aug. 17, 2021, 10:00 am* at the given address below and/or via *google or zoom meet*. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity physically or virtually.
10. The *Presidential Broadcast Staff-RTVM* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

The Procurement Office
Presidential Broadcast Staff-RTVM
Malacanang, Manila
8734-5681

12. You may visit the following websites:

For downloading of Bidding Documents : : <https://rtvm.gov.ph/>

July 22, 2021



DULCE AMOR QUINTANA
BAC Chairperson

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, *Presidential Broadcast Staff-RTVM* wishes to receive Bids for the *Procurement of DSLR Cameras* with identification PBS-RTVM2021-003.

The Procurement Project (referred to herein as “Project”) is composed of one lot, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for *Year 2021* in the amount of *Two Million Two Hundred Eighty-Nine Thousand Four Hundred Eighty Pesos only (Php 2,289,480.00)*.

2.2. The source of funding is:

- a. NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2.

- a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - b. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
- a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address RTVM Conference Room, RTVM Building, Malacanang, Manila and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *five years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. ++++The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:



- i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until 120 calendar days from the date of bid opening. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

² In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

19.2. The Project shall be awarded as follows:

Option 1 – One Project having several items that shall be awarded as one contract.

- 19.3. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.
- a. Performance Security or Performance Securing Declaration, as the case may be;
 - b. Other contract documents that may be required by existing laws and/or specified in the **BDS**.



Section III. Bid Data Sheet

A handwritten signature in black ink, appearing to read "dmy", located in the bottom right corner of the page.

Bid Data Sheet

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be: <ul style="list-style-type: none"> a. Sale of Broadcast Equipment b. completed within five years prior to the deadline for the submission and receipt of bids.
7.1	<i>Subcontracting is not allowed.</i>
12	The price of the Goods shall be quoted DDP <i>Manila</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: <ul style="list-style-type: none"> a. The amount of not less than <i>the amount equivalent to two percent (2%) of ABC</i>, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <i>the amount equivalent to five percent (5%) of ABC</i> if bid security is in Surety Bond.
19.3	<i>The Project will be awarded as one lot.</i>
20.2	<i>No further instruction.</i>
21.2	<i>No further instruction.</i>

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.



5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.



Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from abroad, state:]</i> “The delivery terms applicable to the Contract are DDP delivered RTVM Manila. In accordance with INCOTERMS.”</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered RTVM Manila. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is <i>Marco Paolo C. Bombase</i>.</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ul style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	<ul style="list-style-type: none"> e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods particularly on Item #5 of Sec. VII.

	<p>f. assistance in the application and securing of license of RTVM authorized representative/s for Drone operations</p> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p>
	<p>Packaging –</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity</p> <p>Name of the Supplier</p> <p>Contract Description</p> <p>Final Destination</p> <p>Gross weight</p> <p>Any special lifting instructions</p> <p>Any special handling instructions</p> <p>Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical</p>

	<p>the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<i>Partial Payment is not allowed.</i>
4	The inspections and tests that will be conducted are: <i>Physical Inspection and Operational Testing of Equipment and Accessories.</i>

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	Full Frame SDE Digital Cinema Camera	1 unit		
1.1	Lithium-Ion Battery Pack, 14.4v, 5200mAh	3 units		
1.2	Duo LCD Charger for BP-U Series Batteries	1 unit		
1.3	64GB SF-G Tough Series UHS-II SDXC Memory Card	2 units		
1.4	Short Shotgun Microphone	1 unit		
1.5	SDI to HDMI 3G Micro Converter	1 unit		
2	Full Frame SDE Digital Mirrorless Camera (DSLR)	2 units		
2.1	Full Base Fluid Head, Tripod Legs and Padded Case Kit	2 units		
2.2	Duo LCD Charger with Two Battery Plates	2 units		
2.3	Rechargeable Lithium-Ion Battery, 2280 mAh	6 units		
2.4	128GB SF-M Tough Series UHS-II SDXC Memory Card	4 units		
2.5	Small Rig Master Cage Kit	2 units		
2.6	SDI/HDMI Wireless Video Transmission System	2 units		
2.6.1	4400mAh Batteries with Travel Chargers (Set of 2)	2 units		

2.7	Frame Semi-Wide Lens FE 16-35mm f2.8 GM	1 unit		
2.8	Full Frame Long Lens FE 70-200mm f2.8 GM OSS	1 unit		
2.9	Full Frame Medium-Range Lens FE-24-105mm F4 G OSS Lens	1 unit		
2.10	Full Frame Wide Lens AF 14mm f2.8 FE Lens	1 unit		
2.11	Full Frame 35mm T1.5 DSX High-Speed Cine Lens	1 unit		
2.12	Full Frame 50mm T1.5 DSX High Speed Cine Lens	1 unit		
2.13	Full Frame 85mm T1.5 DSX High-Speed Cine Lens	1 unit		
3	7" Colored Monitor HDR Pro/Cinema Recorder/Switcher	1 unit		
3.1	External 1TB SSD Master Caddy 4K	1 unit		
3.2	4K HDMI to USB Audio/Video Capture	1 unit		
3.3	10-Pin LEMO Type to XLR Breakout Cable	1 unit		
3.4	HDMI Coiled Cable (12 to 24")	1 unit		
3.5	Lithium-Ion Battery Pack 7.4v, 4400mAh	2 units		
3.6	Lithium-Ion Battery Pack 7.4v, 2200mAh	6 units		
3.7	Duo LCD Battery Charger	1 unit		
3.8	SDI to HDMI 6G Mini Converter	1 unit		
3.9	11" Articulating Arm	1 unit		

4	Action Camera	1 unit		
4.1	Micro SD Memory Card 64GB	2 units		
5	<p>DRONE (Complete Set w/ Fly More & Accessory Kit)</p> <p>With:</p> <p>Free Training for three RTVM Authorized Representatives and Provision of Assistance on Licenses Application</p>	1 set		
6	4-Input / 4-Track Portable Handy Recorder Kit with Protective Case	1 unit		
7	4-Input /4-Track Multi-track Field Recorder	1 unit		
8	Camera Stabilizer (DSLR)	1 unit		
8.1	Battery Grip for DSLR Camera Stabilizer	1 unit		

Section VII. Technical Specifications

Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>

Technical Specifications

ITEM	SPECIFICATION	QTY	STATEMENT OF COMPLIANCE
1	<p>Full Frame SDE Digital Cinema Camera</p> <p>4K Full-Frame 10.2MP CMOS Exmor R Sensor</p> <p>DCI 4K60p / UHD 4K120p / 1080p240</p> <p>15+ Stops of Dynamic Range in S-Log 3 EI</p> <p>Phase Detection AF/Face Tracking/Eye AF</p> <p>Base 800-12,800 ISO / 320-409,600 Max</p> <p>S-Cinetone, S-Log3, HLG Modes</p> <p>10-Bit 4:2:2 XAVC-I/16-Bit Raw Output</p> <p>Sensor Resolution Actual: 12.9 Megapixel</p> <p>Video Connectors: 1 x BNC (12G-SDI) Output; 1 x HDMI Output</p> <p>Audio Connectors: 2 x 3-Pin XLR Mic/Line Level Input</p> <p>Wireless Interfaces: 2.4 GHz, 5 GHz Wi-Fi</p> <p>Display Type: Included 3.5" External Touchscreen LCD</p> <p>Dual CF express Type A/SDXC Card Slots</p> <p>Battery Type: Compatible with the Body</p> <p>Power Connectors: 1 x Barrel (19.5 VDC) Input</p> <p>Power Consumption: 18 W</p> <p>Dimensions: 6 x 4.6 x 4.5" / 153 x 116 x 114 mm (Without Protrusions)</p> <p>Weight: 2 lb / 890 g</p>	1 unit	
	<i>ADDITIONAL CAMERA ACCESSORIES:</i>		
1.1	<p>Lithium-Ion Battery Pack (14.4V, 5200mAh)</p> <p>Battery Mount: Compatible with item#1</p> <p>Chemistry: Lithium-Ion</p> <p>Capacity (Wh): 74.88 Wh</p> <p>Amp-Hours: 5200 mAh</p> <p>Output Voltage: 14.4 VDC</p> <p>Dimensions (W x H x D): 2.8 x 1.6 x 3.3" / 70 x 40 x 83 mm</p> <p>Weight: 14.8 oz / 420 g</p>	3 units	
1.2	<p>Duo LCD Charger for BP-U Series Batteries</p> <p>Battery Mount: Compatible with item#1</p> <p>Number of Battery Bays: 2</p> <p>Output Connector: USB Type-A</p> <p>AC Input Power: 100 to 240 VAC, 50 / 60 Hz at 3A</p> <p>Chemistry: Lithium-Ion</p>	1 unit	

	Indicator: LCD Display Dimensions: 4.5 x 4.4 x 1.6" / 11.4 x 11.2 x 4 cm Weight: 10 oz / 283 g		
1.3	64GB SF-G Tough Series UHS-II SDXC Memory Card Card Type: SDXC Storage Capacity: 64 GB Bus Type: UHS-II Speed: Class 10 UHS Speed Class: U3 Video Speed Class: V90 DURABILITY: (SF-G) Dustproof, Magnet-Proof, Shockproof, Static Proof, Temperature Extremes, UV Light Resistant, Waterproof, X-Ray Proof	2 units	
1.4	Short Shotgun Microphone Form Factor: Stand/Boom Mount Switchable Low-Cut Filter Operating Principle: Pressure Gradient Capsule: 1 x Electret Condenser Polar Pattern: Supercardioid Windscreen Windsock/Windjammer (Included) Frequency Range: 40 Hz to 20 kHz Impedance: 60 Ohms \pm 20% at 1 kHz (Balanced) Output Connectors (Analog): 1 x XLR 3-Pin Male Cable Length: 19.69" / 50 cm Operating Voltage: 40 to 52 V (Phantom Power) Operating Current Consumption: 2.5 mA Mounting Mic: Clip (Included) Dimensions ϕ : 0.79 x L: 8.27" / ϕ : 20 x L: 210 mm Weight: 2.33 oz / 66 g	1 unit	
1.5	SDI to HDMI 3G Micro Converter 1x SD/HD/3G-SDI Input & 1 x Loop Output 1 x HDMI Type A Output DCI 2K SDI In/Out 1080p60 HDMI Out 3D LUT for Calibrating or Loop Output SDI A/B Selection USB Power Embedded Audio Input SDI LED Video & Power Signal Indicators OS Compatibility: macOS 10.14.15 or Later / Windows 10 AC Power Supply & Socket Adapters: 1 x USB Type-C (4.4-5.2VDC) Power Consumption: 2.5 W Operating Temperature: 32 to 104°F / 0 to 40°C Dimensions : 3.01 x 1.8 x 0.98" / 76.45 x 45.7 x 24.89 mm	1 unit	

	Weight: 5.29 oz / 150 g		
2	Full Frame SDE Digital Mirrorless Camera (DSLR) 12MP Full-Frame Exmor R BSI CMOS Sensor UHD 4K 120p Video, 10-Bit 4:2:2 Internal 16-Bit Raw Output, HLG & S-Cinetone 759-Point Fast Hybrid AF 9.44m-Dot QXGA OLED EVF 3.0" 1.44m-Dot Vari-Angle Touchscreen 5-Axis SteadyShot Image Stabilization Extended ISO 40-409600, 10 fps Shooting Dual CF express Type A/SD Card Slots Sensor Size: 35.6 x 23.8 mm Image File Format: JPEG, Raw, HEIF Bit Depth: 14-Bit Battery: Rechargeable Lithium-Ion, 7.2 VDC, 2280 mAh Dimensions: (W x H x D) 128.9 x 96.9 x 69.7 mm Weight: 1.35 lb / 614 g (Body Only)	2 units	
2.1	Flat Base Fluid Head, Tripod Legs & Padded Case Kit Camera Plate: Sliding Balance Plate, Quick Release Camera Plate Type: 500PLONG Camera Mounting Screw: 1 x 1/4"-20 Male; 1 x 3/8"-16 Male Base Mount: 3/8"-16 Thread Pan & Tilt with Lock Drag Control Fixed Drag Type Fluid Vertical Tilt +90° to -70° Panning Range: 360° Material: Aluminum Load Capacity: 11 lb / 5 kg Counter Balance: Fixed (5.3 lb / 2.4 kg) Bubble Level 1 Dimensions: 3.74" / 9.5 cm Weight: 2 lb / 0.9 kg	2 units	
2.2	Duo LCD Charger with Two Battery Plates AC Input Power: 100 to 240 VAC, 50 / 60 Hz DC Input Power: 12 to 24 VDC at 3000 mA Output Voltage: 1.2 to 8.4 VDC at 2000 mA Number of Battery Bays: 2 Multi-Bay Charging Modes: Independent Indicator: LCD Display USB Port: 1 x USB Type-A USB Output Current: 2000 mA Operating Temperature: 32 to 104°F / 0 to 40°C	2 units	

	<p>Storage Temperature: -4 to 140°F / -20 to 60°C</p> <p>Cable Length: 40.94" / 104 cm</p> <p>Dimensions: (W x H x D) 4.9 x 4.5 x 1.7" / 12.4 x 11.4 x 4.3 cm</p> <p>Weight: 7.7 oz / 218 g</p> <p>Adapter Battery Plate: Compatible with item#2</p> <p>Dimensions (W x H x D): 2.0 x 2.6 x 0.5" / 5.1 x 6.6 x 1.3 cm</p> <p>Weight: 0.7 oz / 20 g</p>		
2.3	<p>Rechargeable Lithium-Ion Battery (2280mAh)</p> <p>Capacity (Wh): 16.4 Wh</p> <p>Amp-Hours: 2280 mAh</p> <p>Chemistry: Lithium-Ion</p> <p>Output Voltage: 7.2 VDC</p> <p>Dimensions: (W x H x D) 1.52 x 0.89 x 2.04" / 38.7 x 22.7 x 51.7 mm</p> <p>Weight: 3 oz / 85.05 g</p>	6 units	
2.4	<p>128GB SF-M Tough Series UHS-II SDXC Memory Card</p> <p>Card Type: SDXC</p> <p>Storage Capacity: 128 GB</p> <p>Bus Type: UHS-II</p> <p>Speed: Class 10</p> <p>UHS Speed: Class U3</p> <p>Video Speed: Class V60</p> <p>DURABILITY: (SF-M) Dustproof, Shockproof, Temperature Extremes, Waterproof</p>	4 units	
2.5	<p>Small Rig Master Cage Kit</p> <p>Formfitting Full Cage for item#2</p> <p>SmallRig NATO Top Handle With 15mm Rod Clamp Specs</p> <p>Grip Type Topside Handle with Cheeseplate-Style Handle</p> <p>Material of Construction: Aluminum</p> <p>Anti-Twist Pins</p> <p>HDMI Cable Clamp</p>	2 units	
2.6	<p>SDI/HDMI Wireless Video Transmission System</p> <p>Transmitter and Receiver Set</p> <p>Transmit & Receives up to 1080p60 SDI or HDMI video</p> <p>Transmit up to 400' to RX, 300' to iOS or Android WiFi App (LOS)</p> <p>Real-time app monitoring and live streaming via the app</p> <p>SDI and HDMI Inputs and Outputs</p> <p>L-Series Battery/USB Type-C/DC Power</p> <p>Bright OLED display</p> <p>Channel Bandwidth: 20 MHz</p> <p>Frequency Range US: 5 GHz</p> <p>Extremely Low 0.08s Latency</p>	2 units	

	<p>Shoe Adapter: 1/4"-20 Mounting Thread</p> <p>Transmitter & Receiver Power Connector: 1 x Barrel (6 to 16 VDC up to 2 A) Input;</p> <p>1 x USB Type-C (5 VDC up to 2 A) Input</p> <p>Power Consumption: Transmitter 11W; Receiver 7W</p> <p>Transmitter Dimensions: 4.3 x 2.8 x 1.32" / 11 x 7.2 x 3.35 cm</p> <p>Receiver Dimensions: 4.3 x 2.8 x 1.32" / 11 x 7.2 x 3.35 cm</p> <p>Transmitter & Receiver Weight: 0.5 lb / 206 g</p>		
2.6.1	<p>4400mAh Batteries with Travel Chargers (Set of 2)</p> <p>2 x 7.2V 4400mAh Batteries (compatible w/ item#2.6)</p> <p>Chemistry: Lithium-Ion</p> <p>2 x Single-Battery Travel Chargers</p> <p>Compact Chargers with Folding Prongs</p> <p>100-240V, 50-60 Hz Chargers</p> <p>Dimensions: (W x H x D) 1.85 x 2.76" / 4.7 x 7cm</p>	2 units	
2.7	<p>Frame Semi-Wide Lens FE 16-35mm f2.8 GM</p> <p>Focal Length: 16 to 35mm</p> <p>Maximum Aperture: f/2.8</p> <p>Minimum Aperture: f/22</p> <p>Lens Mount: Compatible w/ item#2</p> <p>Format Compatibility: Full-Frame</p> <p>Angle of View: 107° to 63°</p> <p>Minimum Focus Distance: 11.02" / 28 cm</p> <p>Maximum Magnification: 0.19x</p> <p>Optical Design: 16 Elements in 13 Groups</p> <p>Diaphragm Blades: 11, Rounded</p> <p>Focus Type: Autofocus</p> <p>Filter Size: 82 mm (Front)</p> <p>Dimensions: (ø x L) 3.48 x 4.79" / 88.5 x 121.6 mm</p> <p>Weight: 1.5 lb / 680 g</p>	1 unit	
2.8	<p>Full Frame Long lens FE 70-200mm F2.8 GM OSS</p> <p>Focal Length: 70 to 200mm</p> <p>Maximum Aperture: f/2.8</p> <p>Minimum Aperture: f/22</p> <p>Lens Mount: Compatible w/ item#2</p> <p>Format Compatibility: Full-Frame</p> <p>Angle of View: 34° to 12° 30'</p> <p>Minimum Focus Distance: 3.15' / 96 cm</p> <p>Maximum Magnification: 0.25x</p> <p>Optical Design: 23 Elements in 18 Groups</p> <p>Diaphragm Blades: 11, Rounded</p> <p>Focus Type: Autofocus</p> <p>Image Stabilization: Yes</p>	1 unit	

	<p>Tripod Collar: Removable and Rotating</p> <p>Filter Size: 77 mm (Front)</p> <p>Dimensions: (ø x L) 3.46 x 7.87" / 88 x 200 mm</p> <p>Weight: 3.26 lb / 1480 g</p>		
2.9	<p>Full Frame Medium range lens FE 24–105mm F4 G OSS Lens</p> <p>Focal Length: 24 to 105mm</p> <p>Maximum Aperture: f/4</p> <p>Minimum Aperture: f/22</p> <p>Lens Mount: Compatible w/ item#2</p> <p>Format Compatibility: Full-Frame</p> <p>Angle of View: 84° to 23°</p> <p>Minimum Focus Distance: 1.25' / 38 cm</p> <p>Maximum Magnification: 0.31x</p> <p>Optical Design: 17 Elements in 14 Groups</p> <p>Diaphragm Blades: 9, Rounded</p> <p>Focus Type: Autofocus</p> <p>Image Stabilization: Yes</p> <p>Filter Size: 77 mm (Front)</p> <p>Dimensions: (ø x L) 3.28 x 4.46" / 83.4 x 113.3 mm</p> <p>Weight: 1.46 lb / 663 g</p>	1 unit	
2.10	<p>Full Frame wide lens AF 14mm f2.8 FE Lens</p> <p>Focal Length: 14mm</p> <p>Maximum Aperture: f/2.8</p> <p>Minimum Aperture: f/22</p> <p>Lens Mount: Compatible w/ item#2</p> <p>Format Compatibility: Full-Frame</p> <p>Angle of View: 113.9°</p> <p>Minimum Focus Distance: 7.87" / 20 cm</p> <p>Maximum Magnification: 0.12x</p> <p>Optical Design: 14 Elements in 10 Groups</p> <p>Diaphragm Blades: 7, Rounded</p> <p>Focus Type: Autofocus</p> <p>Dimensions: (ø x L) 3.39 x 3.84" / 86 x 97.5 mm</p> <p>Weight: 1.11 lb / 505 g</p>	1 unit	
2.11	<p>Full Frame 35mm T1.5 DSX High-Speed Cine Lens</p> <p>Focal Length: 35mm</p> <p>Lens Mount: Compatible w/ item#2</p> <p>Format: Full Frame</p> <p>Maximum T-Stop: T1.5</p> <p>Minimum T-Stop: T22</p> <p>Diagonal Angle of View: Full Frame 63.1°</p> <p>APS-C (1.5x): 43.9°</p> <p>Minimum Focus Distance: 11.8" / 30.0 cm</p>	1 unit	

	Optical Design: 12 Elements in 10 Groups Iris Blades: 9 Gear MOD & Pitch Focus: 0.8 MOD / 32 Pitch Iris: 0.8 MOD / 32 Pitch Filter Thread: 77 mm Length: 5.41" / 137.5 mm Weight: 1.74 lb / 789.2 g		
2.12	Full Frame 50mm T1.5 DSX High-Speed Cine Lens Focal Length: 50mm Lens Mount: Compatible w/ item#2 Format: Full Frame Maximum T-Stop: T1.5 Minimum T-Stop: T22 Diagonal Angle of View: Full Frame 46.2° APS-C (1.5x): 31.3° Minimum Focus Distance: 1.5' / 45 cm Optical Design: 9 Elements in 6 Groups Iris Blades: 9 Gear MOD & Pitch Focus: 0.8 MOD / 32 Pitch Iris: 0.8 MOD / 32 Pitch Filter Thread: 77 mm Length: 3.96" / 100.7 mm Weight: 1.27 lb / 576.4 g	1 unit	
2.13	Full Frame 85mm T1.5 DSX High-Speed Cine Lens Focal Length: 85mm Lens Mount: Compatible w/ item#2 Format: Full Frame Maximum T-Stop: T1.5 Minimum T-Stop: T22 Diagonal Angle of View: Full Frame 28.4° APS-C (1.5x): 19.1° Minimum Focus Distance: 3.6' / 109.7 cm Optical Design: 9 Elements in 7 Groups Iris Blades: 9 Gear MOD & Pitch Focus: 0.8 MOD / 32 Pitch Iris: 0.8 MOD / 32 Pitch Filter Thread: 72 mm Length: 3.96" / 100.7 mm Weight: 1.35 lb / 612.4 g	1 unit	
3	7" Colored Monitor HDR Pro/Cinema Recorder/Switcher 7" 1920 x 1200 Touchscreen Display 4-Input HD Switching & ISO Recording Dynamic AtomHDR, 360-Zone Backlight	1 unit	

	4 x 3G-SDI, 2 x 12G-SDI 3000 cd/m ² Brightness 4K HDMI Input/Output HDR Mode, Dolby Vision Output 1,000,000:1 Dynamic Contrast DCI 4K up to 60p / 1080p up to 240 fps		
3.1	External 1TB SSD Master Caddy 4K Storage Capacity: 1 TB Interface: SATA III (6 Gb/s) Maximum Read Speed: 500 MB/s Dimensions: 4.1 x 2.9 x 0.5" / 104 x 74 x 12 mm Weight: 4.5 oz / 127 g	1 unit	
3.2	4K HDMI to USB Audio/Video Capture 4K HDMI to USB Type-A UVC Standards Up to UHD 4K30 HDMI Input (8/10/12-Bit) Up to 1080p60 Output over USB Dimensions: 2.5 x 1.1 x 0.5" / 64 x 28 x 13 mm Weight: 0.8 oz / 21.4 g	1 unit	
3.3	10-Pin LEMO Type to XLR Breakout Cable Connector 1: 10-pin LEMO type Connector 2: 2 x 3-pin XLR male; 2 x 3-pin XLR female	1 unit	
3.4	HDMI Coiled Cable (12 to 24") HDMI Male to Male Cable Length 12 to 24" / 30.5 to 61 cm HDMI Version 2.0 Maximum Resolution Support: 3840 x 2160 at 60 Hz	1 unit	
3.5	Lithium-Ion Battery Pack (7.4V, 4400mAh) Mount / Series Type: Compatible w/ item#3 Chemistry: Lithium-Ion Amp-Hours: 4400 mAh Output Voltage: 7.4 VDC Dimensions: (W x H x D) 2.75 x 1.5 x 1.56" / 70 x 38 x 40 mm Weight: 7.2 oz / 204 g	2 units	
3.6	Lithium-Ion Battery Pack (7.4V, 2200mAh) Mount / Series Type: Compatible w/ item#3 Chemistry: Lithium-Ion Amp-Hours: 2200 mAh Output Voltage: 7.4 VDC Dimensions: (W x H x D) 2.75 x 1.5 x 0.8" / 7 x 3.8 x 2 cm Weight: 3.9 oz / 110 g	6 units	
3.7	Duo LCD Battery Charger Compatible Battery: Compatible w/ item#3 USB Output Ports: 1 x USB Type-A (5 VDC at 1 A)	1 unit	

	Output Voltage: 1.2 to 8.4 VDC at 2 A Cable Length: 4.7' / 1.4 m DC Power Input: Car Adapter: 12 to 24 VDC at 2 A AC Input Power: 100 to 240 VAC, 50 / 60 Hz Dimensions: 4.9 x 4.5 x 1.8" / 12.5 x 11.5 x 4.5 cm Weight: 0.5 lb / 218 g		
3.8	SDI to HDMI 6G Mini Converter Input: 2 x 4K SDI Output: 1 x HDMI Type A and 1 x SDI Supports SD, HD, UHD 4K & DCI 4K Signals Automatic Input Signal Detection 24-Bit, 48 kHz Audio Analog & AES-EBU Digital Audio Outputs De-Embeds Audio from SDI Settings via Mini Switches or Software USB 2.0 Port for Firmware Updates 12V Universal Power Supply (Included) Power Consumption: 5.2W Operational Voltage Range: 12-31VDC Dimensions: 4.49 x 3.63 x 0.90" / 11.40 x 9.22 x 2.29 cm Weight: 9.06 oz / 256.85 g	1 unit	
3.9	11" Articulating Arm Load Capacity: 5 lb / 2.3 kg Top Mount: 1/4"-20 Male Bottom Mount: 1/4"-20 Female; 1/4"-20 Male Cold Shoe Points of Articulation: 3 Material of Construction: Aluminum Maximum Length: 11" / 27.94 cm Segment Length: 8.3" / 21.08 cm	1 unit	
4	Action Camera Sensor: CMOS 23.6 Megapixel Media/Memory Card (Single Slot): microSD/micro SDHC/ micro SDXC Video Resolution: 4K, 5K Aspect Ratio: 16:9 / 4:3 Still Image Support: JPEG 20MP Audio Format: WAV Display: 2.27" Touchscreen LCD Secondary Display: (Front) Live-View Monitor Image Stabilization: Digital Waterproof: 10.0 m White Balance: Auto	1 unit	

	<p>Built-In: Mic, Speaker & WiFi</p> <p>Rechargeable Battery: 1720 mAh</p> <p>Dimensions: (W x H x D) 2.8 x 2.2 x 1.3" / 71.0 x 55.0 x 33.6 mm</p> <p>Weight: 5.6 oz / 158 g</p>		
4.1	<p>Micro SD Memory Card 64GB</p> <p>Card Type: microSDXC</p> <p>Storage Capacity: 64GB</p> <p>A2 / UHS-I / V30 / U3 / Class 10</p> <p>Max Read Speed: 160 MB/s</p> <p>Max Write Speed: 60 MB/s</p> <p>Min Write Speed: 30 MB/s</p> <p>Records Full HD, 3D, and 4K Video</p> <p>Durability: Shockproof, Temperature Extremes, Waterproof, X-Ray Proof</p> <p>Built-In Write-Protect Switch on Adapter</p> <p>Downloadable Rescue PRO Recovery Software</p>	2 units	
5	<p>DRONE (Complete Set w/ Fly More & Accessory Kit)</p> <p>20MP / UHD 4K 10 Bit HDR Gimbal Camera</p> <p>Smart Controller & Fly More Kit</p> <p>Landing Pad & Landing Gear Extensions</p> <p>64GB microSD, USB card reader & Cleaning Kit</p> <p>3 x Intelligent Flight Batteries</p> <p>1" CMOS + f/2.8-f/11 Adjustable Aperture</p> <p>Omnidirectional Obstacle Sensing</p> <p>Hyperlapse Time-Lapse Mode</p> <p>Top Speed of 44.7 mph</p> <p>GNSS Support: GPS, GLONASS</p> <p>Smart Controller with built-in 5.5" display</p> <p>2 additional batteries, 4 replacement propellers, 1pc car charger, a charging hub, and a handy battery-to-power bank adapter.</p> <p>With:</p> <p>Free Training for 3 RTVM Authorized Representatives and Provision of Assistance for Licenses Application</p>	1 set	
6	<p>4-Input / 4-Track Portable Handy Recorder Kit with Protective Case</p> <p>Portable Recorder</p> <p>Number of Tracks: 4</p> <p>Max Sample Rate/Resolution: 96 kHz / 24-Bit</p> <p>Microphone: Built-In Cardioid Condenser Stereo Pair, X/Y Configuration</p> <p>Built-In Speaker: 400 mW Mono</p>	1 unit	

	<p>Display: Monochrome LCD (Backlit)</p> <p>Memory Card Support: SD (16 MB Up to 2 GB); SDHC (4 GB Up to 32 GB)</p> <p>Recording & Playback: MP3, WAV</p> <p>Signal Processing: Compressor, Delay, EQ, Limiter, Low-Cut Filter, Pitch Control, & Reverb</p> <p>Phantom Power: +24 / 48 V (Applied to All Inputs)</p> <p>Headphone Output Power: 20 mW per Channel into 32 Ohms</p> <p>Impedance Mic Inputs: 3 Kilohms (Balanced)</p> <p>Line Inputs: 470 Ohms (Unbalanced)</p> <p>Power Options: Batteries 2x AA (Included) & AC/DC Power Adapter 5 VDC at 1A (not included)</p> <p>Dimensions: 2.8 x 6.2 x 1.4" / 71.1 x 157.5 x 35.6 mm</p> <p>Weight: 10.4 oz / 294 g</p>		
7	<p>4-Input / 4-Track Multitrack Field Recorder</p> <p>Filmmaking, TV, and Web Broadcast</p> <p>Optimized for DSLR Shooters</p> <p>Dual XLR-1/4" Inputs with Phantom Power</p> <p>3.5mm Mic/Line Input with Plug-In Power</p> <p>Records in WAV up to 96 kHz / 24-Bit</p> <p>3.5mm Camera, Line & Headphone Outputs</p> <p>Supports Battery, AC, or USB Powering</p> <p>Supports SDHC Cards up to 32GB</p> <p>Silent Soft-Touch Rubber Keys</p> <p>Auto Level, Limiter & Low-Cut Filter</p> <p>Number of Tracks: 4</p> <p>Display: Monochrome LCD (Backlit)</p> <p>Audio File Formats: BWF, WAV</p> <p>Signal Processing: Auto Gain, EQ, Limiter, Low-Cut Filter</p> <p>Phantom Power: +24 / 48 V \pm 4 V (Selectable on Individual Inputs)</p> <p>Phantom Power Current: 10 mA per Channel</p> <p>Power Options: Batteries, USB Bus Power, AC/DC Power Adapter</p> <p>Battery Type: 4 x AA (Not Included)</p> <p>AC/DC Power Adapter 5 VDC (Not Included)</p> <p>Dimensions: 5.2 x 3.7 x 3.1" / 133 x 93.2 x 78 mm</p> <p>Weight: 1.1 lb / 510 g (Without Batteries)</p>	1 unit	
8	<p>Camera Stabilizer (DSLR)</p> <p>Three-Axis Motorized Gimbal Stabilizer</p> <p>Holds DSLR or Mirrorless Cameras</p> <p>Trigger and Mode Buttons for Control</p> <p>Offset Roll Motor for Screen Visibility</p>	1 unit	

	<p>One-Handed Operation</p> <p>Battery Grip Lasts up to 12 Hours</p> <p>Camera Control via Included Cables</p> <p>Includes Focus Wheel</p> <p>Additional Functions via Android/iOS App</p> <p>Load Capacity 7.94 lb / 3.6 kg</p> <p>Connectivity</p> <p>Ports: 1 x USB Type-C (Power / Control) Input, 1 x RSA Input, 1 x Proprietary (Control) Input</p> <p>Wireless Frequency Remote: 2.4 GHz (2.4 - 2.48)</p> <p>Wireless Protocol: Bluetooth 4.0</p> <p>Battery</p> <p>Built-In Lithium-Ion</p> <p>Capacity (mAh): 2400 mAh</p> <p>Capacity (Wh): 34.56 Wh</p> <p>Operating Current: 0.16 A</p> <p>Dimensions: 23.23 x 11.54 x 10.08" / 590 x 293 x 256 mm</p> <p>Weight: 4.1 lb / 1.86 kg</p>		
8.1	<p>Battery Grip for DSLR Camera Stabilizer</p> <p>Battery Built-In 18650 LiPo Battery, 2400 mAh, 34.56 Wh</p> <p>Replacement Handgrip for Item#2.8</p>	1 unit	

***Section VIII. Checklist of Technical and
Financial Documents***

A handwritten signature in black ink, appearing to be 'dmy' or similar, located in the bottom right corner of the page.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
or
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,
and
- (c) Mayor’s or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
and
- (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (g) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
or
Original copy of Notarized Bid Securing Declaration; **and**
- (i) Conformity with the Technical Specifications, which may include production/delivery schedule, and/or after-sales/parts, if applicable; **and**
- (j) Original duly signed Omnibus Sworn Statement (OSS);
and if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (k) The Supplier’s audited financial statements, showing, among others, the Supplier’s total and current assets and liabilities, stamped “received” by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- (l) The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC);
or



A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class “B” Documents

- (m) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
or
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (n) *[For foreign bidders claiming by reason of their country’s extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (o) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

25 FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).





Handwritten signature